



# FIRE 200

Mibrasa® Parrilla with two grills and fire basket



## TECHNICAL INFORMATION

Reference	GMB 200-FIRE
Fire up time*	30 min
Cooking temperature	250 °C
Grill height range	350 mm
Initial charcoal load <sup>1</sup>	15 kg
Charcoal load duration <sup>2</sup>	5 h
Equivalent power*	6 kW
Exhaust rate	5100 m <sup>3</sup> /h
Net weight <sup>3</sup>	483 kg
Crated weight <sup>3</sup>	653 kg
Crate dimensions (WxDxH)	1120 x 2200 x 1380 mm

\*Approximate data

1. Consult instruction manual
2. Will vary depending on quality of charcoal
3. Weight with accessories included

## FEATURES

Precision and strength is key to the PARRILLA MIBRASA®. Effortlessly regulate the height of your grill thanks to the carefully engineered double chain system coupled with the crank wheel and gearbox, keeping maintenance down to a minimum.

ERGONOMICALLY DESIGNED WITH MAXIMUM QUALITY AND SECURITY

With a sloping grill, the grease runs down the weld-free grill bars to prevent grease build-up. Grease drips down to the collector with an easy to remove mechanism ready to clean.

The base is lined with refractory bricks to ensure maximum heat efficiency and resistance to pure fire. And the built-in cooling system in outer case guarantees a maximum level of security.

Built using quality steels providing strength and durability; ergonomically designed for practicality and ease of use, each feature plays a crucial part in delivering the ultimate grilling machine for every chef.


## INCLUDED ACCESSORIES

- Mibrasa tongs [TG]
- Ash shovel [PALA]
- Ember poker [PK]
- Grill brush [CEP]
- 2 rod grills [CPV-200F]
- Vertical cooking rack [CPH-200-FIRE]
- 2 swivel hooks [GGCV]


## OPTIONAL ACCESSORIES

- V-shape grill [GV-200F]
- End of service lid [TAPA65]
- Protective structure [EPGMB200F]
- Espeto kit [KITESPGMB200]
- Gastronorm kit [SGN200]

## Color



## Edition




### QUALITY GUARANTEE




Mibrasa® Charcoal Ovens S.L  
 C/Juan Rovira i Bastons, 26  
 17230 Palamós - Spain  
 +34 972 601 942 - mibrasa@mibrasa.com  
 www.mibrasa.com


Front view




Side view




Top view



Fire basket



Dimensions in mm



A	Elevating system
B	Elevating wheel
C	Heating rack
D	Structure
E	Grill
F	Grease collector
G	Refractory bricks
H	Main body
I	Fire basket
J	Vertical cooking rack

## INSTALLATION GUIDELINES AND SAFETY STANDARDS


Recommended installation height	700 mm
Clearances to construction/other appliances from the Parrilla	76 mm
Clearances of flammable materials from the Parrilla	300 mm
Clearance of workspace from front of the Parrilla	700 mm




It is recommended to use a lifting device to lift the Parrilla and place on the countertop/stand. Consult Parrilla instruction manual for further information.

## GRILL TYPES


Rod bar grill




V shape grill




## GRILL DIMENSIONS




## HEATING RACK DIMENSION



## OPTIONAL LID DIMENSION



## VERTICAL COOKING RACK DIMENSIONS



Specifications and design are subject to change without notice.

## OPTIONAL COMPLETE STAND



Dimensions in mm

## TECHNICAL INFORMATION


Ref.	GMB200-FIRE + MCGMB200
Net weight <sup>3</sup>	608 kg
Crated weight <sup>3</sup>	778 kg
Crate dimensions (WxDxH)	1120 x 2200 x 2000mm

Ref.	MCGMB200
Net weight <sup>3</sup>	125 kg
Crated weight <sup>3</sup>	145 kg
Crate dimensions (WxDxH)	1120 x 2200 x 700mm


## OPTIONAL ACCESSORIES

- Stainless steel casters [WINOXG]

FRONT VIEW



SIDE VIEW



\*Adjustable leg height 135-195 mm

## OPTIONAL STAND



Dimensions in mm

## TECHNICAL INFORMATION


Ref.	GMB200-FIRE + MAGMB200
Net weight <sup>3</sup>	554 kg
Crated weight <sup>3</sup>	724 kg
Crate dimensions (WxDxH)	1120 x 2200 x 2000 mm

Ref.	MAGMB200
Net weight <sup>3</sup>	71 kg
Crated weight <sup>3</sup>	91 kg
Crate dimensions (WxDxH)	1120 x 2200 x 700 mm


## OPTIONAL ACCESSORIES

- Stainless steel casters [WINOXG]

FRONT VIEW



SIDE VIEW



\*Adjustable leg height 135-195 mm