



SLIM DOUBLE 100

Mibrasa® Parrilla with two grills



FEATURES

Precision and strength is key to the PARRILLA MIBRASA®. Effortlessly regulate the height of your grill thanks to the carefully engineered double chain system coupled with the crank wheel and gearbox, keeping maintenance down to a minimum.

ERGONOMICALLY DESIGNED WITH MAXIMUM QUALITY AND SECURITY

With a sloping grill, the grease runs down the weld-free grill bars to prevent grease build-up. Grease drips down to the collector with an easy to remove mechanism ready to clean.

The base is lined with refractory bricks to ensure maximum heat efficiency and resistance to pure fire. And the built-in cooling system in outer case guarantees a maximum level of security.

Built using quality steels providing strength and durability; ergonomically designed for practicality and ease of use, each feature plays a crucial part in delivering the ultimate grilling machine for every chef.

TECHNICAL INFORMATION

Reference	GMB 1002-GR
Fire up time*	30 min
Cooking temperature	250 °C
Grill height range	250 mm
Initial charcoal load ¹	10 kg
Charcoal load duration ²	5 h
Equivalent power*	4 kW
Exhaust rate	4100 m ³ /h
Net weight ³	261 kg
Crated weight ³	357 kg
Crate dimensions (WxDxH)	1310 x 1010 x 1380 mm

*Approximate data

1. Consult instruction manual

2. Will vary depending on quality of charcoal

3. Weight with accessories included


INCLUDED ACCESSORIES

- Mibrasa tongs [TG]
- Ash shovel [PALA]
- Ember poker [PK]
- Grill brush [CEP]
- 2 rod grills [CPV-100-2GR]


OPTIONAL ACCESSORIES

- V-shape grill [GV-100-2GR]
- End of service lid [TAPA85-SLIM]
- Protective structure [EPGMB100]
- Espeto kit [KITESPGMB100]
- Gastronorm kit [SGN100]

Color



Edition




QUALITY GUARANTEE




Rev. 11/25

Mibrasa® Charcoal Ovens S.L.
C/Juan Rovira i Bastons, 26
17230 Palamós - Spain
+34 972 601 942 - mibrasa@mibrasa.com
www.mibrasa.com


Front view




Side view



Top view




Dimensions in mm




A	Elevating system
B	Elevating wheel
C	Heating rack
D	Grill
E	Grease collector
F	Refractory bricks
G	Main body

GRILL TYPES


Rod bar grill




V shape grill




GRILL DIMENSIONS



HEATING RACK DIMENSION



OPTIONAL LID DIMENSION



INSTALLATION GUIDELINES AND SAFETY STANDARDS

Recommended installation height	700 mm
Clearances to construction/other appliances from the Parrilla	76 mm
Clearances of flammable materials from the Parrilla	300 mm
Clearance of workspace from front of the Parrilla	700 mm



It is recommended to use a lifting device to lift the Parrilla and place on the countertop/stand. Consult Parrilla instruction manual for further information.

Specifications and design are subject to change without notice.

OPTIONAL COMPLETE STAND



TECHNICAL INFORMATION

Ref.	GMB1002GR + MCGMB1002GR
Net weight ³	344 kg
Crated weight ³	440 kg
Crate dimensions (WxDxH)	1310 x 1010 x 1900 mm


Ref.	MCGMB1002GR
Net weight ³	83 kg
Crated weight ³	98 kg
Crate dimensions (WxDxH)	1120 x 1310 x 700 mm

OPTIONAL ACCESSORIES


- Stainless steel casters [WINOXG]

Dimensions in mm

FRONT VIEW



SIDE VIEW



*Adjustable leg height 135-195 mm

OPTIONAL STAND



TECHNICAL INFORMATION

Ref.	GMB1002GR + MAGMB1002GR
Net weight ³	303 kg
Crated weight ³	399 kg
Crate dimensions (WxDxH)	1310 x 1010 x 1900 mm


Ref.	MAGMB1002GR
Net weight ³	42 kg
Crated weight ³	58 kg
Crate dimensions (WxDxH)	1120 x 1310 x 700 mm

OPTIONAL ACCESSORIES


- Stainless steel casters [WINOXG]

Dimensions in mm

FRONT VIEW



SIDE VIEW



*Adjustable leg height 135-195 mm